

## Advidia IP Cameras for Any Application

The Advidia line of IP network video surveillance cameras provides a wide range of affordable IP camera models that are perfect for video surveillance projects of any size. Each Advidia camera comes bundled with a free copy of Video Insight Enterprise Video Management Software, a 4-year warranty, and FREE software updates for the life of the camera. Since its introduction to the market in 2006, Advidia has been deployed by a large number of campuses across North America looking for a complete video surveillance solution that's cost effective, reliable, and easy to use. Advidia's world-class, U.S.-based technical support, advance replacement, and robust features like health monitoring, automated failover, and video wall add yet another layer of value to its already rich product offering.

### B-5360

#### 5MP 360° Fish-Eye Vandal & Weather-Proof Mini Dome

The B-5360 is a 5 megapixel 360° indoor/outdoor IP camera with a discreet mini-dome form factor. With a maximum resolution of 2592 x 1944 and a 360° field of view the B-5360 provides complete situational awareness to your environment.

- 5 Megapixel
- Fixed Lens with f1.19 mm / F2.0
- Basic WDR (74 dB)
- 180/360° Fisheye View
- Weatherproof (IP68), Vandal Proof (IK10) and Vibration Proof

#### **JENNE PART NUMBER:**

**B-5360**



B-5360

### A-200-P

#### 2MP Weather Proof PTZ with 20x Optical Zoom, and Auto Tracking

The A-200-P is a 2 megapixel speed dome with 20x optical zoom. With built-in motion tracking and touring capabilities, the A-200-P is perfect for watching parking lots, stadiums, or any other wide area. With the 20x optical zoom, grabbing even the most minute detail is not a problem.

- POE
- Up to 2 megapixel resolution
- Progressive scan CMOS
- High Speed PTZ
- 20x Optical Zoom
- Weather Proof Rating: IP66
- WDR and auto/manual day & night switch
- Standard H.264 video compression with high compression ratio

#### **JENNE PART NUMBER:**

**A-200-P**



A-200-P

### B-210

#### 2MP Weather Proof Mini PTZ with 10X Optical Zoom

The B-210 is a 2 megapixel indoor/outdoor PTZ dome with 10X zoom and enhanced low light performance. The small form factor of the B-210 allows for it to be installed in a variety of locations and blend aesthetically with its surroundings.

- 2 megapixel with 1080p
- Day & Night
- Extreme Low Light Performance
- 10x Zoom Lens with f4.9-49mm / F1.6-3.0, DC Iris, Auto Focus
- Basic WDR (75 dB)
- 30 fps at 1920 x 1080
- Pan & Tilt
- Weatherproof (IP66) and Vandal Proof (IK10)

#### **JENNE PART NUMBER:**

**B-210**



B-210

### A-300

#### 2MP Weather Proof PTZ with 30x Optical Zoom, with High Intensity IR, and Analytics

The A-300 is an advanced PTZ with 30X optical zoom, analytics, and smart IR technology that will illuminate an object of interest in low light conditions. The camera is perfect for surveillance solutions involving parking lots, stadiums, or any area which needs active surveillance.

- 2 megapixel resolution • Smart IR with 150m range
- Progressive scan CMOS • High Speed PTZ
- WDR, 3D DNR, HLC • Weather Proof Rating: IP66
- Includes High Power-PoE injector • H.265: with 3 Video Stream support
- 30X Optical Zoom, 16X Digital Zoom • Video Insight VMS license included
- Smart Auto tracking with: Multi scenes patrol
- Analytics: Face Detection, Intrusion Detection, Line Crossing Detection, Audio Exception detection, Region Entrance Detection, Region Exiting Detection

#### **JENNE PART NUMBER:**

**A-300**



A-300

**A-47****3MP Vandal & Weather Proof IR Dome with Built in Mic**

The A-47 is a 3 megapixel mini dome perfect for reception areas and courtyards. With a slim form factor, a fixed 4mm lens and Infra-Red illumination, the A-47 will provide a great image both indoors and out.

- Up to 3 megapixel (2048 x 1536) resolution
- Full HD1080p real-time video
- DWDR & 3D DNR & BLC
- IP66 protection
- Vandal-proof housing

**JENNE PART NUMBER:****A-47**

A-47

**A-54 V2****3MP - Indoor Auto-Varifocal, WDR Dome with IR, and Analytics**

The A-54 indoor dome is a 3 megapixel camera with built-in IR and wide dynamic range. The A-54 is a great camera for hallways and indoor common areas. With remote focus and two-way audio, the A-54 can meet a variety of security needs.

- Motorized VF lens
- True WDR 120db
- Analytics
- IR cut filter with auto switch
- Two-way audio
- Support Environmental Noise Filtering
- 3-axis (pan/tilt/rotation) positioning
- Video Insight VMS License Included
- Up to 3 megapixel (2048 x 1536) @ 20 fps resolution
- Defocus Detection, smart face detection, audio exception detection, intrusion detection, scene change detection & cross line detection.

**JENNE PART NUMBER:****A-54 V2**

A-54 V2

**B-31****4MP - Vandal Proof Weather Proof Dome with 3.6x Optical Zoom**

The B-31 is a 4 megapixel indoor/outdoor dome with a motorized lens. Perfect for long hallways and walkways, the B-31 offers 3.6x optical zoom for varying fields of view.

- Two-way audio
- 3.6 x optical zoom
- 4 megapixel resolution
- 3.6 x optical zoom
- ExDR (Extreme Dynamic Range)
- 2D+3D Digital noise reduction
- Powered by PoE Class 3 / DC 12V
- Minimum illumination 0.05 lux at F1.4
- 8 FPS at 2032 x 1920 resolution (1422 TV lines)
- Vandal proof and weatherproof IP66 rated casing
- Day and night function with mechanical IR cut filter
- Built-in f3.3-12 mm / F1.4 megapixel P-Iris zoom lens
- Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming

**JENNE PART NUMBER:****B-31**

B-31

**A-44-IR-V2****2MP Indoor Auto-Varifocal, WDR Dome with IR, and Analytics**

The A-44 IR V2 indoor dome is a great camera for hallways and classrooms. This video surveillance camera has a 2 megapixel sensor and remote focus for quick and easy installation. With 2-way audio, the A-44 IR V2 can be used in a variety of scenarios.

- Digital WDR
- Two-way audio
- Motorized VF lens
- IR cut filter with auto switch
- Up to 2 megapixel (1920 x 1080)
- 3-axis (pan/tilt/rotation) positioning
- Video Insight VMS License Included
- Defocus Detection, smart face detection, audio exception detection, intrusion detection

**JENNE PART NUMBER:****A-44-IR-V2**

A-44-IR-V2

**A-54-OD****3MP- Outdoor Auto-Varifocal, WDR Dome with IR, and Analytics**

The A-54 OD dome is a 3 megapixel camera with built-in IR and wide dynamic range. The A-54 OD is a great camera for outdoors and indoor common areas. With remote focus and two-way audio, the A-54 can meet a variety of security needs.

- Up to 3 megapixel (2048 x 1536)
- Motorized VF lens
- IP66
- True WDR 120db
- Analytics
- 3-axis (pan/til/rotation) positioning
- SVC (Scalable Video Coding)
- IR cut filter with auto switch
- Video Insight VMS License Included
- Defocus Detection, face detection, audio exception detection & intrusion detection

**JENNE PART NUMBER:****A-54-OD**

A-54-OD

**B-51****5MP Auto-Varifocal, Vandal, & Weather Proof IR Dome Camera**

A 5MP dome camera with infrared, the B-51 can be used either indoors or outdoors. With its 3x zoom lens, capturing has never been easier.

- 5 Megapixel with 1080p
- Basic WDR (74 dB)
- 30 fps at 1920 x 1080
- Day & Night with Adaptive IR LED
- 3x Zoom Lens with 3-9mm/F1.2-2.1, DC Iris, Auto Focus
- Weatherproof (IP67) and Vandal Proof (IK10)
- Alarm Trigger, Video Motion Detection (3 Regions)
- No License Required when used with Video Insight Software

**JENNE PART NUMBER:****B-51**

B-51

**A-64****6MP Vandal & Weather Proof IR Dome with Analytics**

The A-64 dome camera is a 6 megapixel camera with built in IR. The A-64 is ideal for areas such as parking lots and outdoor applications where more pixels per foot are required. The remote zoom and focus make installation quick and easy.

- Digital WDR • 6MP real time • Up to 25fps frame rate • Motorized Lens
- 3D DNR • Heater • Analytics • Defocus detection, smart face detection, audio exception detection, & intrusion detection
- No Video Insight VMS License Required

**JENNE PART NUMBER:****A-64**

A-64

**A-T-27-V****2MP Indoor, Outdoor, Auto-Varifocal, TVI Analog Dome with IR**

When purchasing one of our V2 encoders, the A-T-27-V can be used to provide a 2 megapixel image in place of the conventional analog cameras while using the existing coax cable. The A-T-27-V has a motorized vari-focal lens for remote focus during the installation. A-T-27-V can be used for corridors, large rooms and outside applications. The A-T-27-V has IR to ensure a good image even at 0 lux.

- 2 Megapixel high-performance CMOS • Analog HD output, up to 1080P resolution • 2.8 – 12mm motorized vari-focal lens
- True Day/Night, Smart IR • Up to 40m IR distance • IP66 weatherproof & vandal proof • OSD menu • 24V AC/ 12V DC

**JENNE PART NUMBER:****A-T-27-V**

A-T-27-V

**A-27-F****2MP H.265 Ultra-Low Light Vandal & Weather Proof Dome, and Analytics**

2MP Ultra-Low Light, Weather-Proof, Vandal-Proof Dome Camera with WDR and 3d DNR.

- H.265 • 3D DNR • 2 megapixel • WDR of 120dB • PoE (Power over Ethernet) • IR Range up to 30m
- Weather Proof Rating: IP67 • Analytics: Line Cross & intrusion detection • Vandal Proof: IK 10 Rated
- Built-in Micro SD card slot • Video Insight VMS license included

**JENNE PART NUMBER:****A-27-F**

A-27-F

### E-37-V

#### 3MP Auto-Varifocal, Vandal Proof, Weather Proof Dome with IR

The E-37-V is the first mini dome to also offer a motorized lens. The E-37-V camera can be used inside corridors and rooms or outside. The 2.7 to 12mm lens allows for remote focus and zoom to achieve the perfect view. The E-37-V small form factor is perfect for discrete locations but also durable enough to receive an IP67 and IK10 rating.

- 1/3" 3 Megapixel progressive CMOS • H.264 & MJPEG dual-stream encoding
- Max 20fps@3M(2304x1296) (2048x1536) & 25/30fps@1080P(1920x1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- 2.7~12mm motorized lens • Max IR LEDs Length 30m • IP67, IK10, PoE • Micro SD card slot, up to 128GB

**JENNE PART NUMBER:**

**E-37-V**



E-37-V

### A-37-FW

#### 3MP Vandal Proof, Weather Proof IR Dome with WDR, Fixed 2.8mm Lens and Analytics

Weather-Proof Vandal-Proof Dome Camera with WDR and 3d DNR.

- 3 megapixel resolution • 3D DNR • WDR of 120dB • PoE (Power over Ethernet) • IR Range up to 30m
- Weather Proof Rating: IP67 • Analytics: Line Cross & intrusion detection • Vandal Proof: IK 10 Rated
- Built-in Micro SD card slot • Video Insight VMS license included

**JENNE PART NUMBER:**

**A-37-FW**



A-37-FW

### A-17-F

#### Weather-Proof Vandal-Proof Dome Camera with WDR and 3d DNR

The A-17-F is a 1.3MP Vandal & Weather Proof IR Dome with WDR, fixed 4mm Lens, and Analytics. This camera is a very economical vandal proof mini-dome great for covering general areas such as, courtyards, reception areas, and doorways. With a 1.3MP resolution, an IP67 weather proof rating, built-in IR array, 120db WDR performance, and SD card support, the A-17-F can be used in almost any environment, while providing a great picture at a great price.

- 1.3 megapixel resolution • 3D DNR • WDR of 120dB
- IR Range up to 30m • Weather Proof Rating: IP67

**JENNE PART NUMBER:**

**A-17-F**



A-17-F

### A-37-F

#### Weather-Proof Vandal-Proof Dome Camera with WDR and 3d DNR

3MP Vandal & Weather Proof IR Dome with WDR, Fixed 3.6mm Lens, and Analytics. The A-37-F is a very versatile, 3MP vandal proof, IP67 mini-dome with built-in IR array, 120dB WDR capabilities, and onboard analytics. The A-37 is a great camera for multitude of applications, such as covering classrooms, hallways, lobby's, courtyards, and entrances.

- 3 megapixel resolution • Vandal Proof: IK 10 Rated • WDR of 120dB
- Analytics: Line Cross & intrusion detection • Weather Proof Rating: IP67

**JENNE PART NUMBER:**

**A-37-F**



A-37-F

### E-37-FSW

#### Ultra-Wide View, Ultra-Low Light Dome Camera

The E-37-FSW is a perfect solution for any application that calls for a camera with an ultra-wide field of view. The IP67, 3MP, H.265, Vandal proof E-37-FSW provides an unprecedented 151 degree viewing angle with onboard De-Warping, and analytic capabilities. The camera is also capable of providing ultra-low light performance which is further enhanced by its 120dB WDR capabilities.

- H.265 • 3D DNR • 3 megapixel • WDR of 120dB • PoE (Power over Ethernet) • IR Range up to 30m
- Weather Proof Rating: IP67 • Analytics: Line Cross & intrusion detection • Vandal Proof: IK 10 Rated
- Built-in Micro SD card slot • Video Insight VMS license included

**JENNE PART NUMBER:**

**E-37-FSW**



E-37-FSW

### A-15

#### 1.3MP - Weather Proof IR Bullet with Fixed 6mm Lens

The A-15 is a price-effective mini bullet with an IP66 rating and built in IR. Great for short hallways or outdoor corridors, with its 1.3 megapixel sensor the A-15 will give you a great image at an even better price.

- Up to 1.3 megapixel resolution • Standard H.264 video compression with high compression ratio • Progressive scan CMOS
- Day / Night • PoE • IR Range up to 30m • Weather Proof Rating: IP66

**JENNE PART NUMBER:**

**A-15**



A-15

## B-33

### 4MP - Weather Proof IR Box Camera with 18x Optical Zoom

The B-33 is an outdoor bullet camera with a 4 megapixel sensor and 18x optical zoom. With built in IR, the B-33 is great for watching parking lots, entrance gates, or extremely long corridors. With 18x optical zoom, the B-33 is able to provide a dynamic field of view.

- 18x Zoom • 1/3.2" Progressive Scan CMOS • 4 megapixel resolution • Minimum illumination 0.05 lux at F1.4
- 8 FPS at 2032 x 1920 resolution • 2D+3D Digital noise reduction • Weatherproof IP66 rated casing
- Powered by PoE Class 3 / DC 12V • Built-in f4.7-84.6 mm / f1.6 megapixel iris zoom lens
- Day and night function with mechanical IR cut filter • Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming
- Serial port for external pan & tilt scanner

**JENNE PART NUMBER:**

**B-33**



B-33

## A-55

### 3MP - Weather Proof Auto Varifocal IR Bullet with Analytics

The A-55 outdoor bullet 3 megapixel camera is IP66 rated and has built in IR. The A-55 is a perfect camera for outdoor locations such as parking areas. With remote focus and 2048X1536 @ 30 fps resolution, the A-55 is great for outdoor and low-light applications.

- Heater • Two-way audio • Motorized VF lens • 120 db True WDR
- IR cut filter with auto switch • Video Insight VMS License Included • Up to 3 megapixel (2048X1536) @ 30 fps resolution
- Defocus Detection, smart face detection, audio exception detection, intrusion detection

**JENNE PART NUMBER:**

**A-55**



A-55

## A-65

### 6MP - Auto-Varifocal, Weather Proof, High Intensity IR Bullet with Analytics

The A-65 bullet camera is a 6 megapixel camera with built in IR. The A-65 is ideal for areas such as parking lots and outdoor applications where more pixels per foot are required. The remote zoom and focus make installation quick and easy.

- Digital WDR • 6MP real time • Up to 25fps frame rate • Motorized Lens • 3D DNR • Heater • Analytics
- Defocus detection, smart face detection, audio exception detection, & intrusion detection
- No Video Insight VMS License Required

**JENNE PART NUMBER:**

**A-65**



A-65

## A-28-Z

### 2MP- H.265 Weather Proof Bullet Camera with 26X Optical zoom, High Intensity IR, and Analytics

The A-28-Z is a 2MP, IP67 weather proof rated, IP bullet camera with a 26X optical zoom lens, high intensity IR array, and capable of recording 1080p Video at 60FPS. With its built in high intensity IR and long field of view, the A-28-Z is great for securing parking lots, gate entrances, or extremely long corridors in any lighting condition.

- 2 megapixel resolution • 60fps at 1080P • 26 X Optical Zoom • Motorized VF Lens
- WDR with 3D DNR • H.265 • Analytics • Built in Micro SD slot, up to (256GB)
- High intensity IR : With a Max Range of 120 meters • Video Insight VMS License Included

**JENNE PART NUMBER:**

**A-28-Z**



A-28-Z

## A-28-F

### 2MP H.265 Ultra-Low Light Weather Proof Bullet Camera with Analytics

- 2MP Ultra Low Light, Weather-Proof Network Bullet Camera • 2.0 megapixel resolution
- 3D DNR • WDR of 120dB • PoE (Power over Ethernet) • IR Range up to 30m • H.265
- Analytics: Line Cross & intrusion detection • Video Insight VMS license included

**JENNE PART NUMBER:**

**A-28-F**



A-28-F

## A-38-F

### 3MP - Weather Proof IR Bullet with WDR, Fixed 6mm Lens, and Analytics

The A-38-F is a 3MP, IP67, mini bullet camera that offers great 120dB WDR performance, further enhanced in low light by its built-in IR array. The camera also offers advanced Line Cross, and Intrusion Detection analytics. Furthermore, the A-38-F is extremely easy to install for both indoor and outdoor applications.

- 3.0 megapixel resolution • 3D DNR • WDR of 120dB • PoE (Power over Ethernet) • IR Range up to 30m
- Weather Proof Rating: IP67 • Analytics: Line Cross & intrusion detection • Video Insight VMS license included

**JENNE PART NUMBER:**

**A-38-F**



A-38-F