

## VZ-LX

The LX Series is the next generation of CCTV monitors taking over from the ViewZ' coveted RTHL series monitors. Equipped with the same great features such as ruggedized metal housing and optimal assortment of analog and digital inputs. The LX series provides a premium quality CCTV display solution that's built to run 24/7 365 and cost effective.

- 24, 27, 32 & 42" LED CCTV Monitor
- HD 1080p Resolution
- Digital & Analog Inputs - BNC, YPbPr, VGA, HDMI and DVI
- 3D Comb-Filter, De-Interlace, Built-in Speakers
- Image Rotation Feature Prevents "Pixel Burn-In"
- Auto Source & Power Recovery
- 3-Year Warranty

### JENNE PART NUMBER:

- VZ-24LX** 24" HD 1080p LED metal monitor, DVI/VGA/HDMI/BNC(5in/2out)/Component, black metal frame, 110VAC, Built for 24/7 operation
- VZ-27LX** 27" HD 1080p LED metal monitor, DVI/VGA/HDMI/BNC(5in/2out)/Component, black metal frame, 110VAC, Built for 24/7 operation
- VZ-32LX** 32" HD 1080p LED metal monitor, DVI/VGA/HDMI/BNC(5in/2out)/Component, black metal frame, 110VAC, Built for 24/7 operation
- VZ-42LX** 42" HD 1080p LED metal Monitor, DVI/VGA/HDMI/BNC(5in/2out)/Component, black metal frame, 110VAC, Built for 24/7 operation



## VZ-CME & CMP

### Full HD LED Monitors that deliver exactly what your customers need and MORE!

Equipped with the optimal mix of analog and digital inputs, the CMP & CME LED monitor series delivers Full HD video while boosting 40% power efficiency from the ultra-slim LED backlight design.

- Full HD 1080p Resolution – CMP & CME
- 16:9 / 4:3 Ratio Available – CMP & CME
- Built-in Speakers – CMP & CME
- 1 AV(Composite) Input / Output (Loop-through) – CMP
- HDMI, VGA, Audio In/Out – CMP
- HDMI, DVI, VGA – CME
- 600 TV Line, 3D Comb-Filter, De-linterlace - CMP
- Auto Source & Power Recovery - CMP
- 3-Year Warranty

### JENNE PART NUMBER:

- VZ-19CME** 19.5" FHD 1920x1080 LED Monitor, DVI/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-19CMP** 19.5" FHD 1920x1080 LED Monitor, BNC(1in/1out)/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-22CME** 21.5" FHD 1920x1080 LED Monitor, DVI/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-22CMP** 21.5" FHD 1920x1080 LED Monitor, BNC(1in/1out)/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-24CME** 24" FHD 1920x1080 LED Monitor, DVI/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-24CMP** 24" FHD 1920x1080 LED Monitor, BNC(1in/1out)/VGA/HDMI, Black plastic frame, 12VDC, Built for 24/7 operation



## VZ-CMX

### Full HD LED Monitors that deliver exactly what your customers need and MORE!

Equipped with the optimal mix of analog and digital inputs, the CMX LED monitor series delivers Full HD video while boosting 40% power efficiency from the ultra-slim LED backlight design. CMX Series supports TVI, CVI & AHD sources to cater to the ever-growing HD-Analog market.

- Full HD 1080p Resolution
- Hybrid AV (AHD / TVI / CVI) Input / Output (Loop-through)
- AV(CVBS) Input / Output (Loop-through)
- 16:9 / 4:3 Ratio Available
- HDMI, VGA, PC Audio In/ AV Audio In
- 600 TV Line, 3D Comb-Filter, De-linterlace, Built-in Speakers
- Auto Source & Power Recovery
- 3-Year Warranty

### JENNE PART NUMBER:

- VZ-19CMX** 19.53" FHD 1920x1080 LED Monitor, Hybrid(TVI/CVI/AHD) BNC(1in/1out) / CVBS BNC(1in/1out) / VGA / HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-22CMX** 21.5" FHD 1920x1080 LED Monitor, Hybrid(TVI/CVI/AHD) BNC(1in/1out) / CVBS BNC(1in/1out) / VGA / HDMI, Black plastic frame, 12VDC, Built for 24/7 operation
- VZ-24CMX** 24" FHD 1920x1080 LED Monitor, Hybrid(TVI/CVI/AHD) BNC(1in/1out) / CVBS BNC(1in/1out) / VGA / HDMI, Black plastic frame, 12VDC, Built for 24/7 operation



**VZ-IPM**

ViewZ IPM series monitors with onboard Android OS connect to the VMS, NVR, and IP cameras for streaming live video. Eliminate the need for a client PC with a simple all in one solution. Install the android app of choice and start remote viewing!


- Cost Effective Remote Viewing Alternative to PC
- Sequential and 9ch Viewing Modes - via Built-In ViewZ App
- Over 8,000 IP Camera Models Supported - via Built-In ViewZ App
- Built-In Android OS / Ethernet 10/100
- Designed to Run Android Apps
- Full HD 1080p Resolution
- 21.5" LED Grade A Panel delivers better image quality and 24/7 operability

**JENNE PART NUMBER:****VZ-215iPM**

IP enabled 22" HD LED black monitor for viewing live 1080p, ViewZ App Supports Over 8,000 Onvif Cameras, runs Android apps, 1 Ethernet port, 2 USB ports, 12VDC, auto-power and source recovery, key lock, Built for 24/7 operation

**VZ-32iPM**

IP enabled 32" HD LED black monitor for viewing live 1080p, ViewZ App Supports Over 8,000 Onvif Cameras, runs Android apps, 1 Ethernet port, 2 USB ports, 110VAC, auto-power and source recovery, key lock, Built for 24/7 operation

**VZ-RTC & RTN**

**RTN - Next generation of 4:3 CCTV monitors offer a perfect blend of exceptional quality & great price.**

- 17" & 19" LED CCTV Monitor
- 1280 x 1024 Resolution
- 2 BNC (Composite) Inputs / 1 BNC Output (Loop-through)
- HDMI, VGA, Audio In/Out
- Auto Source & Power Recovery
- 600 TV Line, 3D Comb-filter, De-Interlace, Built-in Speakers, 3-Year Warranty

**As the premium security monitor series, RTC delivers superior analog & digital video inside a ruggedly designed enclosure.**

- 10.1" LED CCTV Monitor
- 1024 x 600 Resolution
- BNC, HDMI, VGA, Trigger
- 16:9 / 4:3 mode Available
- 2D Comb-filter, Noise Reduction, Built-in Speakers, 3-Year Warranty

**JENNE PART NUMBER:****VZ-101RTC**

10.1" Black pro-grade 1024x600 LED Monitor, HDMI/VGA/HDMI/Looping BNC's, Built In Speakers, Trigger In, 12VDC power supply, Built for 24/7 operation

**VZ-17RTN**

17" Black pro-grade 1280x1024 LCD monitor, VGA/HDMI/ BNC(2in/1out), 12VDC power supply, Built for 24/7 operation

**VZ-19RTN**

19" Black pro-grade 1280x1024 LCD monitor, VGA/HDMI/ BNC(2in/1out), 12VDC power supply, Built for 24/7 operation




## VZ-IPPVM-N

### What You See is What You Stream

With full 1080p display capability, IP PVM N series public view monitors can display full HD image captured from built-in 2MP camera and stream it back to VMS or NVR for high quality video recording. Add the optional media player and it becomes a powerful digital advertising solution for retail applications and beyond. Loss prevention and advertising can now be greatly enhanced using one solution.

- 23", 27" & 32" Mega Pixel Full HD 1080p IP Public View Monitor
- Onvif Profile-S Compliant
- Protective Glass & IPS Panel for Wider Viewing Angle - 178°/178°
- 2 MP Camera & DC Auto Iris 2.8-12 mm Varifocal Lens
- Blinking Message - "Recording in Progress"
- Camera Motion Sensor & Time Interval Based Source Switching
- Auto Power / Source Recovery
- Supports Dual Voltage (110V AC and 24V DC)



### JENNE PART NUMBER:

- VZ-PVM-I2B3N** 23.6" Black IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-I2W3N** 23.6" White IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-I3B3N** 27" Black IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-I3W3N** 27" White IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-I4B3N** 32" Black IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-I4W3N** 32" White IP Public View Monitor, embedded 2.1 Mega Pixel IP WDR camera, RJ45 output Onvif Profile-S, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation

## VZ-HDPVM-N

HD Public View Monitor (PVM) with a built in camera and motion detection sensor is a highly effective theft deterrent tool in creating public awareness that a security surveillance systems in place.

- 23", 27" & 32" Mega Pixel Full HD 1080p Resolution
- IPS Panel for Wider Viewing Angle - 178° / 178°
- 2 MP Camera & DC Auto Iris 2.7-12 mm Vari-focal Lens
- Blinking Message - "Recording in Progress"
- Camera Motion Sensor & Time Interval Based Source Switching
- Auto Power / Source Recovery
- Supports Dual Voltage (110V AC and 24V DC)



### JENNE PART NUMBER:

- VZ-PVM-Z1W2** 10" White Public View Monitor, embedded 600TVL DWDR camera, BNC output, SD Media Player, 24VAC, Auto-Power and Source Recovery, Built for 24/7 operation
- VZ-PVM-Z2B3N** 23.6" Black HD Public View Monitor, embedded 2.1 Mega Pixel WDR camera, BNC analog D1 output, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-Z2W3N** 23.6" White HD Public View Monitor, embedded 2.1 Mega Pixel WDR camera, BNC analog D1 output, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-Z3B3N** 27" Black HD Public View Monitor, embedded 2.1 Mega Pixel WDR camera, BNC analog D1 output, 110VAC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-Z3W3N** 27" White HD Public View Monitor, embedded 2.1 Mega Pixel WDR camera, BNC analog D1 output, 110VAC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-Z4B3N** 32" Black HD Public View Monitor, embedded 2.1 Mega Pixel DWDR camera, BNC analog D1 output, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation
- VZ-PVM-Z4W3N** 32" White HD Public View Monitor, embedded 2.1 Mega Pixel DWDR camera, BNC analog D1 output, 110VAC and 24VDC, Auto-Power and Source Recovery, 12VDC Power out for one camera, Built for 24/7 operation

**VZ-UNB****1.2 mm NARROW BEZEL CCTV VIDEO WALL DISPLAYS**


With a bezel thinner than 2 stacked quarters, the ViewZ UNB security video wall monitors display brilliant HD images across multiple screens with virtually seamless gaps in-between. Designed to work with ViewZ PRO video wall processor series.

- 49 & 55" 1080p CCTV LED Monitor / 1.07B color IPS Panel
- Ultra-narrow 1.2 mm Metal Bezel
- Digital & Analog Inputs
- USB - Media Player
- Auto Source & Power Recovery
- 3D Comb-Filter & De-Interlace
- Prevents Pixel Burn-In
- 3-Year Warranty

**JENNE PART NUMBER:**

**VZ-49UNB** 49" HD 1080p LED ULTRA-SLIM 1.2mm black metal bezel, DVI/VGA/HDMI/Component/BNC(4in/1out)/RS-232(1in/1out), 110VAC, Built for 24/7 operation

**VZ-55UNB** 55" HD 1080p LED ULTRA-SLIM 1.2mm black metal bezel, DVI/VGA/HDMI/Component/BNC(4in/1out)/RS-232(1in/1out), 110VAC, Built for 24/7 operation

**VZ-NB****5.9mm NARROW BEZEL CCTV VIDEO WALL DISPLAYS**


ViewZ NB CCTV video wall monitors display brilliant HD images across multiple screens with virtually seamless gaps in-between.

- 49 & 55" 1080p CCTV LED Monitor / 1.07B color IPS Panel
- Narrow 5.9 mm Metal Bezel
- High Brightness 700 cd/m<sup>2</sup>
- Digital & Analog Inputs
- USB - Media Player
- Auto Source & Power Recovery
- 3D Comb-Filter & De-Interlace
- Prevents Pixel Burn-In
- 3-Year Warranty

**JENNE PART NUMBER:**

**VZ-49NB** "49"" HD 1080p LED slim 5.9mm black metal monitor, DVI/VGA/HDMI/Component/BNC(4in/1out)/RS-232(1in/1out), 110VAC, Built for 24/7 operation

**VZ-55NB** "55"" HD 1080p LED slim 5.9mm black metal monitor, DVI/VGA/HDMI/Component/BNC(4in/1out)/RS-232(1in/1out), 110VAC, Built for 24/7 operation



## RECORDERS

**VZ-HVR**

Record data and video from traditional analog cameras and network IP cameras.

- AHD/TVI 1080P front-end real-time encoding
- Each BNC accepts AHD / TVI / CVBS analog
- Also accepts IP camera signals at maximum 1080p.
- App provides easy network setup & remote monitoring
- H.264 high profile compression
- PENTAPLEX: simultaneous live and playback while still continuing to record, network transfer, and backup
- App Available at GOOGLE PLAY STORE for Android devices and APP STORE for Apple devices

**JENNE PART NUMBER:**

**VZ-08HVR** Encode 8\*AHD-1080P@15fps, Decode 4\*AHD-1080P@15fps | Pure Analog:8 \* 1080P, Mixed:2 \* 1080P(Analog)+2\*1080P(Network) | 8 \* 720P(Analog)+8\*720P(Network) | Pure Network:4 \* 1080P 1\*1080P+8\*720P 20\*960H Video Playback:4ch(pure local input mode) | Video input 8ch BNC, Video output 1ch VGA,1ch HDMI | Audio input 8ch RCA, Audio output 1ch RCA | Alarm input:4, Alarm output:1, USB 2 USB portsHard disk 2 SATA(Each maximum support 6T DC12V/4A input, Support HDVI Cloud technology, easy to achieve a variety of network penetration

**VZ-16HVR** Encode 16\*AHD-1080P@15fps, Decode 8\*AHD 1080P@15fps | Pure Analog:16 \* 1080P, Mixed:2 \* 1080P(Analog)+2\*1080P(Network) | 4 \* 720P(Analog)+4\*720P(Network) | Pure Network:4 \* 1080P 1\*1080P+8\*720P 20\*960H | Video Playback:8ch(pure local input mode) | Video input 16ch BNC, Video output 1ch VGA,1ch HDMI | Audio input 4ch RCA, Audio output 1ch RCA | Alarm input:8, Alarm output:1 | USB 2 USB ports, Hard disk 2 SATA(Each maximum support 6T DC12V/4A input, Support HDVI Cloud technology, easy to achieve a variety of network penetration

**VZ-08HVR-2** Installed 2TB HDD

**VZ-16HVR-2** Installed 2TB HDD

**VZ-08HVR-4** Installed 4TB HDD

**VZ-16HVR-4** Installed 4TB HDD