

Zenitel is the leading provider of intelligent communication solutions. Offering a variety of devices, it is easy to augment your VoIP solution with SIP end-devices for IP Intercom, Video Intercom, and Telephony Communications that are easy to sell, easy to configure, and easy to manage. Utilizing built in software features like auto volume adjustment and active noise reduction, crystal clear intelligibility is never an issue. All Zenitel IP stations are easily configured via a standard web browser and powered over ethernet allowing for a seamless installation with no extra software or power cabling.

Zenitel's Platforms

Zenitel's next generation Intelligent Communication System delivers out of the box unrivaled sound quality, interoperability, security, and ease of use. By placing all the audio processing at the edge in the intercom devices, a full communication solution can be deployed without a server, without external software. Just a single Turbine device is set as a system controller for the IC-EDGE system, and all devices are connected to a simple network switch for connectivity.

- Built in Platform on all Zenitel IP devices
- System capacity with built in licensing
 - Ability to deploy up to 32 Zenitel devices
 - Ability to deploy up to 10 VS Clients (PC Clients)
 - Ability to network up to 50 Edge Controllers
- System capacity with purchased licensing
 - Deploy a total of 64 Zenitel device
 - Deploy up to 10 Mobile Clients (app is a free download from Google Play Store or Apple App Store)
 - Deploy up to 10 third-party SIP devices
 - Connection of up to 10 Telephony Trunks
- Flexible interoperability through open API and industry standard protocols
- Secure solution using Integrated IEEE 802.1X network access control
- Integrations available with security industry leaders: AMAG Technology, Genetec, LenelS2, Milestone, RS2 Technologies



JENNE PART NUMBER:

- 1009661001** IC-EDGE station license (required for devices 33-64)
- 1008117010** TMIV-1+ IP & SIP Video Intercom
- 1009662001** IC-EDGE Telephone Trunk License

SIP/VoIP/Telephone

- No Zenitel licensing
- Connect to your existing VoIP system (Avaya, Cisco, Alcatel-Lucent, etc.)



IC-EDGE/No Server

- No central server
- Program in minutes
- No licensing for the first 32 IP stations
- Maximum 64 devices with licensing for each node
- Supports all Zenitel IP devices
- Phone interface with telephone gateway, trunk license, and cloud-based IP telephony

ICX-AlphaCom and Zenitel Connect Pro/Server Based

- Integrated platform
- Up to 600 devices on a single server
- Supports all Zenitel IP devices
- Customized functionality
- Phone interface
- Line supervision



TURBINE COMPACT SERIES AUDIO INTERCOMS

- SIP and IP Intercoms
- Supports wide set of IP and networking standards
- Audio Presence - crystal clear audio with HD voice
- Amazing sound pressure levels when needed with automatic volume adjustment
- Active background noise cancellation
- 10 W speaker with matching Class D amplifier
- Built to last with robust die-cast aluminum frame - rating IK 08
- Dirt, dust and water resistant - rating IP-65
- Meets ADA requirements

JENNE PART NUMBER:

- 1008111020** TCIS-2 Durable steel front plate with one button (IK 10 rated). Ideal for public environments
- 1008111030** TCIS-3 Black front plate with one button. Ideal for public environments.
- 1008111040** TCIS-4, Black front plate with one customizable display labelled button. Ideal for public environments
- 1008111050** TCIS-5, Black front plate with two customizable display labelled buttons. Ideal for public environments
- 1008111060** TCIS-6, Black front plate with scrolling customizable display for calling to unlimited number of places. Ideal for public environments
- 1008111901** TCIS-C1, Yellow front plate with labeled Emergency and Info Buttons, including Braille. Ideal as Help Point in Public Environments



1008111020



1008111030



1008111040



1008111050



1008111060



1008111901

Every effort has been made to ensure the integrity of this catalog. Jenne, Inc. cannot be held responsible for any misrepresentation associated with any products due to omissions, typographic errors or misprints.

TURBINE MINI SERIES AUDIO INTERCOMS



- SIP and IP Intercoms
- Supports wide set of IP and networking standards
- Active background noise cancellation
- Automatic volume adjustment
- Class D amplifier
- Built to last with robust die-cast aluminum frame
- Ideal for Building Security and Public Environments
- For indoor applications only

JENNE PART NUMBER:

- 1008116010** TMIS-1 White front plate with one button.
1008116020NL TMIS-2NL Stainless steel front plate, with vandal resistant button
1008021010 VR3G-1 Vandal Resistant, 3 gang, 1 button IP and SIP Intercom
1008021015 IP66 - Dirt, dust and water resistant Anti-ligature design
1008021015 VR3G-IP Vandal Resistant, 3 gang, 1 Piezo button, IP and SIP
1008021015 intercom IP66 - Dirt, dust and water resistant Anti-ligature design



1008116010



1008116020NL



1008021010



1008021015

TURBINE COMPACT SERIES VIDEO INTERCOMS

- SIP and IP Video Intercoms
- Supports wide set of IP and networking standards
- High resolution, up to 1080p
- Frame rate up to 30 per second
- Wide angle lens, Field of View 145° horizontal 109° vertical
- Low-light performance down to 1 lux
- ONVIF compliant
- MJPEG and H.264 for integration with most Video solutions
- Audio Presence - crystal clear audio with HD voice
- Amazing sound pressure levels when needed with automatic volume adjustment
- Active background noise cancellation
- Built to last with robust die-cast aluminum frame - rating IK 08
- Dirt, dust and water resistant - rating IP-65
- Meets ADA requirements
- Ideal for public environments

JENNE PART NUMBER:

- 1008315020** TCIV-2+ Durable steel front plate with one button
1008315030 TCIV-3+ Black front plate with one button
1008315050 TCIV-5+, Black front plate with two customizable display labelled buttons
1008315060 TCIV-6+, Black front plate with scrolling customizable display for calling to unlimited number of places
1008317110 TEIV-1+ Turbine Extended IP Video Intercom with Keypad and Display
1008318240 TEIV-4+ Turbine Extended IP Video Intercom with RFID card reader space
1008510101 ZDD-1 Video Intercom with Display
1008325010 ZSD-1 Slim Video Intercom
1008315030 TMIV-1+ IP and SIP Mini Video Intercom



1008315030



1008325010



1008315020



1008315030



1008315050



1008315060



1008317110



1008318240



1008510101



TURBINE VIDEO ENTRY KITS

The IC-EDGE Video Entry Starter Kit addresses the fundamental need for intelligible audio and video, all in one, easy-to-install system. With an innovative speaker design and noise cancelling technologies, the Video Entry Starter Kit is equipped to handle any dynamic noise environment. The Kit includes the ITSV-4 or the ITSV-5 desktop station with the TA-1 Turbine Compact On Wall Box and either the TCIV-2+ or the TCIV-3+ Turbine video station. Flexible interoperability through open API and industry standard protocols.

JENNE PART NUMBER:

5552301530	TV52+ Kit
5552301530	TV53+ Kit
5552301420	TV42+ Kit
5552301430	TV43+ Kit




TURBINE INTERCOM KIT MODULES

- SIP and IP Intercom Kit Modules
- Supports wide set of IP and networking standards
- Build your own phone or help point
- Add your own 10W speaker and microphone
- Multi-casting capable
- Active background noise cancellation
- Automatic volume adjustment
- Control relay and I/Os over IP
- Add VoIP/CCoIP to your parking solution, cash point, vending machine, et. al.

JENNE PART NUMBER:

1008131020	TKIS-2, Intercom VoIP Module with plastic housing
1008132020	TKIE-2, Extended VoIP Module with dual ethernet connectivity with metal housing
1008095201	IP-LCM-A, IP Line Expansion Module with TKIS-2 and additional inputs / outputs



CLEAN ROOM IP INTERCOMS

IP Clean Room/Operating Room Master

- SIP and IP Intercoms
- Chemical resistant and anti-bacterial front surface for easy cleaning
- Robust aluminum front plate to withstand maintenance and cleaning conditions
- Large high contrast display with backlight for excellent readability
- Four dynamic navigation keys and four DAK keys for quick access to system menus and directory entries
- Superb audio technology - gives loud-speaking hands free duplex communication from any location in the room - no one needs to leave their duty and all present staff can follow the conversation
- Powered from the IP network cable using Power over Ethernet (PoE)
- Clean relay output contact for control of external equipment
- Designed to meet the requirements of ISO 14644-1, ISO Designation 5

JENNE PART NUMBER:

1008015000	IP Clean Room Master Station
------------	------------------------------



ITSV-4 HD IP Video Phone with 5" Screen

- 16 lines with up to 16 SIP accounts
- 5.0" (1280×720) capacitive 5-point touch screen HD TFT LCD
- Built-in 2 mega-pixel CMOS tiltable camera with privacy shutter, 720p 30fps
- 10-way audio conferencing and 3-way video conferencing capability
- Dual-mic HD speakerphone with noise reduction, advanced echo cancellation, and excellent double-talk performance
- 4-core 1.8GHz ARM Cortex A55processor with 2GB RAM and 16GB eMMC Flash

JENNE PART NUMBER:

1490004010 ITSV-4 HD IP Video Phone with 5" Screen



1490004010

ITSV-5 HD IP Video Phone with 8" Screen


- 4-core 2.0GHz ARM Cortex A55processor with 4GB RAM and 16GB eMMC Flash
- Runs on Android 11 operating system
- Built-in Bluetooth 5.0 for syncing with mobile devices and connecting Bluetooth headsets
- Built-in PoE/PoE+ to power the device and give it a network connection
- 12-way audio conferencing and 3-way video conferencing capability
- Dual-mic HD speakerphone with noise reduction, advanced echo cancellation, and excellent double-talk performance
- network ports Supports up to 16 SIP accounts

JENNE PART NUMBER:

1490005010 ITSV-5 HD IP Video Phone with 8" Screen



1490005010



IPDM-V2 IP Desk Master V2 Audio Only

- Ten DAK keys provide single-touch access to stations, group calls, audio monitoring, public address zones, radio channels and telephone lines
- Powered from the IP network cable using Power over Ethernet (PoE)
- ONVIF Compatible

JENNE PART NUMBER:

1008400000 IPDM-V2 IP Desk Master V2 Audio Only



1008400000

HEAVY DUTY AND INDUSTRIAL INTERCOMS

IP Heavy Duty Telephone

- Compatible with ICX-AlphaCom, IC-EDGE and IPBXs (SIP)
- Made for critical communication in rough environments like roads, tunnels, ships (indoor use)
- Water and dust resistant (IP66)
- Very durable with 5 mm aluminum casing and stainless steel components
- Supports VoIP with SIP and CCoIP and ONVIF protocols
- Support local power and Power over Ethernet (PoE)

JENNE PART NUMBER:

1008472220 IPHDT-DY IP Heavy Duty Telephone, Door, Coiled Rubber Cord, Yellow



1008472220

Turbine Industrial Station

- SIP and IP Intercoms
- Supports wide set of IP and networking standards
- Full Keypad with one programmable button for manual override (PTT) and Cancel
- Yellow Plastic housing is designed to withstand most chemical and environmental hazards
- PoE and auxiliary DC power for redundancy
- Visible status indicators on front plate
- Audio Presence - crystal clear audio with HD voice
- Active background noise cancellation
- Ideal for harsh environments and meets industrial and requirements.

JENNE PART NUMBER:

1008122010 TFIE-1 Turbine Industrial Station with Keypad and M+C Keys



1008122010

ZIPS-C | IP Ceiling Speaker

- Steel fire dome
- 105 dBA max SPL (1m)
- Speaker as Microphone technology
- Ideal for Micro Zone PA and systems that require a limited number of speakers
- Each speaker is individually addressable and monitored
- ONVIF Compatible
- Ideal for speakers installed in remote locations, e.g. roads and railways
- Remote software upgrade and configuration
- Relay output for remote control, e.g. doors, signal lamps, gates
- Powered from the IP network cable using Power over Ethernet (PoE)

JENNE PART NUMBER:

1023320011 ZIPS-C | IP Ceiling Speaker



1023320011

ZIPS-H | IP Horn Speaker

- Protected from dust and Water - IP66
- Speaker-as-mic Technology
- External RJ45 connection
- Max. SPL: 120 dBA (1m)
- Ideal for Micro Zone PA and systems that require a limited number of speakers
- Each speaker is individually addressable and monitored
- ONVIF Compatible
- Remote software upgrade and configuration
- Relay output for remote control, e.g. doors, signal lamps, gates
- Powered from the IP network cable using Power over Ethernet (PoE)

JENNE PART NUMBER:

1023321311 IP Horn Speaker



1023321311

ZIPS-HHO | IP Horn, High Output Speaker

- Class D, built-in amplifier
- Protected from Dust and Water - IP66
- Max output 123 dB SPL (1kHz/1m)
- Speaker-as-mic Technology
- Ideal for Micro Zone PA and systems that require a limited number of speakers
- Each speaker is individually addressable and monitored
- ONVIF Compatible
- Remote software upgrade and configuration
- Relay output for remote control, e.g. doors, signal lamps, gates
- Powered from the IP network cable using Power over Ethernet (PoE)

JENNE PART NUMBER:

1023321330 ZIPS-HHO | IP Horn, High Output Speaker



1023300011

ZIPS-WC | IP Cabinet Speaker

- Weatherproof housing - IP66
- Max output 103 dB SPL (1kHz/1m)
- Ideal for Micro Zone PA and systems that require a limited number of speakers
- Each speaker is individually addressable and monitored
- ONVIF Compatible
- Remote software upgrade and configuration
- Powered from the IP network cable using Power over Ethernet (PoE)

JENNE PART NUMBER:

1023322330 ZIPS-WC | IP Cabinet Speaker



1023322330

EMERGENCY STANCHIONS AND WALL UNITS



- Provides visual indication of help points
- Extremely Durable Design - Weather, Environment and Vandal Resistant
- LED Blue Light Flashes when Unit is activated. LED Blue Light is constantly on
- Design can be customized to meet customer requirements including paint, lettering, and voltage
- Meets all ADA Requirements
- Design can be customized to meet customer requirements including paint, lettering, and voltage
- Ideal for use in parking facilities and lots, college campuses, medical centers, city streets, multi-building complexes, and any other open space where security is a concern

JENNE PART NUMBER:

2809016000	1600 Deluxe Tower, 9' tall, stainless steel (requires 1600TA plate for station mounting)
2809016080	1608 Eco Tower, 9'6" tall, lightweight, aluminum (requires 1600TA plate for station mounting)
2809016028	1602 Deluxe Wall Unit, Slim, with Turbine cut out
2809016038	1603 Econo Wall Unit, Slim, with Turbine cut out



2809016000



2809016080



2809016028



2809016038

ACCESSORIES


Back Boxes & Mounting Plates

JENNE PART NUMBER:

1008140010	TA-1, Turbine On wall Box
1008140020	TA-2, US 2 GANG Double Depth - 3.5", for Flush Mount
1008140050	TA-5, Bracket for US 2 GANG Back Box, for use with Turbine Compact Stations
1008140130	TA-13, Turbine Mini On-Wall Back Box White
1072814000	TA-18 Turbine USA Version Compact Flush-Mount Back Box
107216008140	1600 Turbine Plate w/TA-18 USA Box
1008140330	TA-33 Turbine Extended Surface Wall Backbox



1008140010



1008140020



1008140050



1008140130



107216008140



1008140330



1008140340